

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 Revision Date: 10-11-2019

Replaces:

1. Identification

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Hydraulic Oil

Restrictions on use: Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

importer, or other responsible party:

Warren Distribution, Inc.

950 S. 10th St., Suite 300

Omaha, NE 68108-3296

Phone number: +01 (800) 825-1235 +01 (402) 341-9397

E-mail address: sds@wd-wpp.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Carcinogenicity Category 1B

Signal Word: Danger

Hazard Statements: May cause cancer.

Precautionary Statements:

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response: If exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 Revision Date: 10-11-2019

Replaces:

Hazards not otherwise classified:No data available

% unknown toxicity (Inhalation Gas):
% unknown toxicity (Inhalation Vapor):
% unknown toxicity (Inhalation Dust):
100 % of the mixture consists of ingredient(s) of unknown toxicity.
100 % of the mixture consists of ingredient(s) of unknown toxicity.
100 % of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on ingredients

| Chemical Name | Common name and synonyms | CAS# | % | |
|-------------------------------|--------------------------|------------|---------|--|
| Petroleum distillates, | No data available | 64742-54-7 | 30 - 60 | |
| hydrotreated heavy paraffinic | | | | |
| Lubricating oils, petroleum, | No data available | 64742-58-1 | 30 - 60 | |
| hydrotreated spent | | | | |
| Highly refined synthetic base | No data available | 64742-54-7 | 0.1 - 1 | |
| stocks | | | | |
| Amines, C12-14-tert-alkyl | No data available | 68955-53-3 | 0.1 - 1 | |

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists. Remove

contaminated clothing and continue flushing with water.

Ingestion: Do not induce vomiting and seek medical attention immediately. Provide

medical care provider with this SDS.

Most important symptoms/effects,

acute and delayed:

Indication of immediate medical attention and special treatment

If exposed or concerned: Get medical advice/attention.

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 Revision Date: 10-11-2019

Replaces:

needed, if necessary:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Hazardous combustion products: Nitrogen containing gases, Carbon dioxide, Carbon monoxide, Hydrogen

sulfide

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

7. Handling and storage

Precautions for safe handling:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 **Revision Date:** 10-11-2019

Replaces:

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions: Store locked up.

Materials to Avoid/Chemical

Incompatibility:

Acids, Oxidizing materials

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

| Chemical component | OSHA PEL | ACGIH TLV | ACGIH STEL | IDLH |
|--------------------------|----------|-----------|------------|-------------------|
| Petroleum distillates, | 5 mg/m3 | 5 mg/m3 | 10 mg/m3 | No data available |
| hydrotreated heavy | | | | |
| paraffinic | | | | |
| Lubricating oils, | 5 mg/m3 | 5 mg/m3 | 10 mg/m3 | No data available |
| petroleum, hydrotreated | | | | |
| spent | | | | |
| Highly refined synthetic | 5 mg/m3 | 5 mg/m3 | 10 mg/m3 | No data available |
| base stocks | | | | |

Appropriate engineering controls: Local exhaust ventilation or other engineering controls are normally

required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye protection: Wear chemically resistant safety glasses with side shields when handling

this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact

lenses. Have an eye wash station available.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 Revision Date: 10-11-2019

Replaces:

drinking, and when leaving work.

Gloves: Neoprene, Nitrile

General hygiene conditions: Wear protective gloves/protective clothing/eye protection/face

protection.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Beige
Odor: Mild

Odor Threshold: Not determined PH: No data available

Melting point/freezing point:

Melting Point:

Freezing point:

No data available

No data available

Initial boiling point and boiling range

No data available

(°C):

Flash Point (°C): 210

Evaporation Rate:No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

Not established

Lower flammability or explosive

limits:

Not established

Vapor pressure: No data available Vapor density: No data available

Relative density: 0.87

Solubility(ies): Negligible

Partition coefficient: n-octanol/water: No data available
Auto-ignition temperature: No data available
Decomposition Temperature: Not determined
Viscosity: 68.19 cSt @ 40°C

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 **Revision Date: 10-11-2019**

Replaces:

10. Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

None expected under standard conditions of storage. Possibility of hazardous reactions:

Conditions to avoid (e.g., static discharge, shock, or vibration):

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials: Acids, Oxidizing materials

Hazardous decomposition products: Nitrogen containing gases, Carbon dioxide, Carbon monoxide, Hydrogen

sulfide

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Skin contact, Inhalation, Ingestion, Eye contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion: Toxic if swallowed. May cause target organ failure and/or death. Likely to

be practically non-toxic by ingestion based on animal data.

Likely to be practically non-toxic based on animal data.

Skin Contact: This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

Absorption: Likely to be practically non-toxic based on animal data. Inhalation:

Eye Contact: This material is likely to be severely irritating to eyes based on animal

> data. Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to

> permanently injure eye tissue. Temporary vision impairment (cloudy or

blurred vision) is possible.

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 **Revision Date:** 10-11-2019

Replaces:

Sensitization: Non-hazardous under Respiratory Sensitization category. Contains a

substance that may cause skin sensitization.

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Other information: None known.

Numerical measures of toxicity (such as acute toxicity estimates):

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|--------------------------------|------------------------------------|-----------------|
| Amines, C12-14-tert-alkyl | Oral LD50 Rat 300 mg/kg | Dermal LD50 Rat 251 mg/kg | |
| Highly refined synthetic base stocks | Oral LD50 Rat > 15000 mg/kg | Dermal LD50 Rabbit > 5000 mg/kg | |
| Lubricating oils, petroleum, hydrotreated spent | Oral LD50 Rat > 2000 mg/kg | Dermal LD50 Rabbit > 4480 mg/kg | |
| Petroleum distillates, hydrotreated heavy paraffinic | Oral LD50 Rat > 15000 mg/kg | Dermal LD50 Rabbit > 5000 mg/kg | |

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|----------------------------|-----------------|-----------------|----------------|
| There are no components | | | |
| that are known or reported | | | |
| to cause cancer. | | | |

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Moderate ecological hazard. This product may be dangerous to plants

and/or wildlife.

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 **Revision Date:** 10-11-2019

Replaces:

Ecological Toxicity Data:

| Chemical Name | CAS# | Aquatic EC50 | Aquatic ERC50 | Aquatic LC50 Fish | |
|--------------------------|------------|--------------------|-------------------|--------------------|--|
| | CAS# | Crustacea | Algae | | |
| Highly refined synthetic | | Aquatic EC50 (48h) | | Aquatic LC50 (96h) | |
| base stocks | 64742-54-7 | Daphnia > 1000 | No data available | Rainbow Trout > | |
| | | mg/L | | 5000 mg/L | |
| Petroleum distillates, | | Aquatic EC50 (48h) | | Aquatic LC50 (96h) | |
| hydrotreated heavy | 64742-54-7 | Daphnia > 1000 | No data available | Rainbow Trout > | |
| paraffinic | | mg/L | | 5000 mg/L | |

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

None known.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated

Dispose of contents and container in accordance with local/regional/national/international regulations.

packaging:

Contaminated packaging: Recycle containers whenever possible.

Containers of this material may be hazardous when emptied.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description:Not classified as hazardous for transport (DOT, TDG, IMO/IMDG,

IATA/ICAO).

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name: Not applicable Transport hazard class(es): Not applicable

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 **Revision Date: 10-11-2019**

Replaces:

Packing group, if applicable: Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group, if applicable: Not applicable

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs

to be aware of or needs to comply with

in connection with transport or conveyance either within or outside

their premises:

No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the Active US TSCA Inventory or

are exempt.

Regulated Components:

| Chemical Name | CAS# | CERCLA | Sara EHS | Sara 313 | U.S. HAP |
|------------------------|------------|--------|----------|----------|----------|
| Petroleum distillates, | | | | | |
| hydrotreated heavy | 64742-54-7 | N | N | N | N |
| paraffinic | | | | | |
| Lubricating oils, | | | | | |
| petroleum, | 64742-58-1 | N | N | N | N |
| hydrotreated spent | | | | | |
| Highly refined | 64742-54-7 | N | N | N | N |
| synthetic base stocks | 04/42-34-7 | IN | IN | IN | IN |
| Amines, C12-14-tert- | 68955-53-3 | N | N | N | N |
| alkyl | 00333-33-3 | IN | IN | IN IN | IN IN |

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 **Revision Date:** 10-11-2019

Replaces:

| Chemical Name | CAS# | California Prop 65 - Cancer | California Prop 65 - Dev. Toxicity | California Prop 65 - Reprod fem | California Prop 65 - Reprod male |
|--|------------|--------------------------------|---------------------------------------|------------------------------------|-------------------------------------|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | N | N | N | Z |
| Lubricating oils, petroleum, hydrotreated spent | 64742-58-1 | N | N | N | N |
| Highly refined synthetic base stocks | 64742-54-7 | N | N | N | N |
| Amines, C12-14-tert- alkyl | 68955-53-3 | N | N | N | N |

| Chemical Name | CAS# | Massachusetts RTK List | New Jersey RTK List | Pennsylvania RTK List | Rhode Island RTK List | Minnesota Hazardous Substance List |
|--|------------|---------------------------|------------------------|--------------------------|-----------------------------|---|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | N | N | N | N | N |
| Lubricating oils, petroleum, hydrotreated spent | 64742-58-1 | N | N | N | N | N |
| Highly refined synthetic base stocks | 64742-54-7 | N | N | N | N | N |
| Amines, C12-14-tert- alkyl | 68955-53-3 | N | N | N | N | N |

16. Other information, including date of preparation or last revision.

SDS Prepared by: HAZEMS

Revision Date: 10-11-2019

Revision Number: 20

Reason for revision: Activated by Document Formulation Generation

References: No data available
Other Info: No data available

Product identifier used on the label: MAG 1 IND EP ISO 68 55GL

Stock Number: MAG65663 **Revision Date:** 10-11-2019

Replaces:

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.