Page: 1/10

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

#### 1 Identification

· Product identifier

· Trade name: Pentofrost NF

- · Recommended use and restriction on use
- · Recommended use: Coolant / Anti-freeze.
- · Restrictions on use: Contact manufacturer/supplier
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

CRP Industries 35 Commerce Dr. Cranbury, NJ 08512 (609) 578-4100 info@crpindustries.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

# 2 Hazard(s) identification

#### · Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Repr. 1 H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

#### · Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS07 GHS08

Signal word: Danger

#### · Hazard statements:

H302 Harmful if swallowed.

H360 May damage fertility or the unborn child.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

#### · Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling.

P280 Wear eye protection.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Cont'd. on page 2)

Page: 2/10

(Cont'd. of page 1)

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

Trade name: Pentofrost NF

P330 Rinse mouth.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH \*1
FIRE 1
REACTIVITY 0

Health = \*1Fire = 1

REACTIVITY 0 Reactivity = 0

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
107-21-1	ethylene glycol	STOT RE 2, H373 Acute Tox. 4, H302	60-80%
111-46-6	2,2'-oxybisethanol	STOT RE 2, H373 Acute Tox. 4, H302	10-20%
12179-04-3	disodium tetraborate pentahydrate		1-3%

<sup>·</sup> Additional information: For the wording of the listed Hazard Statements refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Headache

Nausea

(Cont'd. on page 3)

Page: 3/10

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

Trade name: Pentofrost NF

(Cont'd. of page 2)

Cramp

Acidosis

Dizziness

Disorientation

Danger:

May damage fertility or the unborn child.

Harmful if swallowed.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Indication of any immediate medical attention and special treatment needed:

Contains ethylene glycol. Consult literature for specific antidotes.

Medical supervision for at least 48 hours.

### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: No relevant information available.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

Page: 4/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

**Trade name: Pentofrost NF** 

(Cont'd. of page 3)

# 7 Handling and storage

- ·Handling
- · Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

· Control parameters

	Control parameters				
· Components w	· Components with limit values that require monitoring at the workplace:				
107-21-1 ethyle	ne glycol				
TLV (USA)	Short-term value: NIC-127* NIC-10** mg/m³, NIC-50* ppm Long-term value: NIC-63.5* mg/m³, NIC-25* ppm Ceiling limit value: (100) mg/m³ (H); *inh. fraction + vapor,P:**inh. fraction, H				
EL (Canada)	Short-term value: 20** mg/m³ Long-term value: 10** mg/m³ Ceiling limit value: 100* mg/m³, 50*** ppm *Aerosol; **Particulate; ***Vapour				
EV (Canada)	Ceiling limit value: 100 mg/m³				
LMPE (Mexico)	Ceiling limit value: 100* mg/m³ A4, *solo aerosol				
111-46-6 2,2'-o	kybisethanol				
WEEL (USA)	Long-term value: 10 mg/m³				
12179-04-3 disc	odium tetraborate pentahydrate				
REL (USA)	Long-term value: 1 mg/m³				
TLV (USA)	Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ *as inhalable fraction				
	(Cont'd. on page 5				

Page: 5/10

# **Safety Data Sheet**

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

Trade name: Pentofrost NF

	(0)	Cont'd. of page 4)
EL (Canada)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³	
EV (Canada)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³	
LMPE (Mexico)	Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ A4, *fracción inhalable	

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Use skin protection cream for skin protection.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device when high concentrations are present.

· Protection of hands:

Not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

#### · Limitation and supervision of exposure into the environment

No relevant information available.

#### · Risk management measures

See Section 7 for additional information.

(Cont'd. on page 6)

Page: 6/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

Trade name: Pentofrost NF

No relevant information available.

(Cont'd. of page 5)

9 Physical and chemical prope	erties	
Information on basic physical a		
Appearance:		
Form:	Fluid	
Color:	Blue	
· Odor:	Sweetish	
Odor threshold:	Not determined.	
· pH-value:	Slightly alkaline	
Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	197 °C (387 °F)	
· Flash point:	111 °C (232 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	3.2 Vol %	
Upper:	53.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	0.08 hPa	
· Density at 20 °C (68 °F):	1.1 g/cm³ (9.18 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Cont'd. on page 7)

Page: 7/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

Trade name: Pentofrost NF

(Cont'd. of page 6)

Possibility of hazardous reactions

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidizing agents.

- · Conditions to avoid No relevant information available.
- · **Incompatible materials** No relevant information available.
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Danger of toxic pyrolysis products.

# 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC50 va	alues that are	relevant for	classification:
--------------	----------------	--------------	-----------------

#### ATE (Acute Toxicity Estimates)

Oral LD50 301-500 mg/kg

# 107-21-1 ethylene glycol

Dermal LD50 9530 mg/kg (rabbit)

#### 111-46-6 2,2'-oxybisethanol

		<u> </u>
Oral	LD50	1120 mg/kg (man)
		12565 mg/kg (rat)
Dermal	LD50	11890 mg/kg (rabbit)

- · Primary irritant effect:
- On the skin: No irritant effect.
- · On the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### · Repeated dose toxicity:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

  Repr. 1
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: May damage fertility or the unborn child.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

(Cont'd. on page 8)

Page: 8/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

Trade name: Pentofrost NF

(Cont'd. of page 7)

· Aspiration hazard: Based on available data, the classification criteria are not met.

# 12 Ecological information

- ·Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.
- Other adverse effects No relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information UN-Number DOT, ADR, IMDG, IATA Not regulated. UN proper shipping name DOT, ADR, IMDG, IATA Not regulated. Transport hazard class(es) DOT, ADR, IMDG, IATA Not regulated.

(Cont'd. on page 9)

Page: 9/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

Trade name: Pentofrost NF

Packing group
DOT, ADR, IMDG, IATA
Not regulated.
Environmental hazards
Marine pollutant:
No
Special precautions for user
Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable.

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

107-21-1 ethylene glycol

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

107-21-1 ethylene glycol

- Carcinogenic categories
- **EPA (Environmental Protection Agency):**

12179-04-3 disodium tetraborate pentahydrate

I (oral)

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

(Cont'd. on page 10)

Page: 10/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016 Revision: 12/13/2016

**Trade name: Pentofrost NF** 

(Cont'd. of page 9)

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 12/13/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed Acute Tox. 4: Acute toxicity – Category 4 Repr. 1: Reproductive toxicity – Category 1 Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com