



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

29 CFR 1910.1200 (OSHA HazCom 2012)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product identifier

Trade name : Valvoline™ Full Synthetic High Mileage with Maxlife  
Technology SAE 5W-20 Motor Oil

Product code : 881171

#### Details of the supplier of the safety data sheet

Valvoline LLC  
100 Valvoline Way  
Lexington, KY 40509  
United States of America (USA)  
1-800-TEAMVAL (1-800-832-6825)

SDS@valvoline.com

#### Emergency telephone number

1-800-VALVOLINE (1-800-825-8654)

#### Regulatory Information Number

1-800-TEAMVAL (1-800-832-6825)

#### Product Information

1-800-TEAMVAL (1-800-832-6825)

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

| Chemical name                                                | CAS-No.    | Classification                           | Concentration (%) |
|--------------------------------------------------------------|------------|------------------------------------------|-------------------|
| Distillates (Petroleum),<br>Hydrotreated Heavy Paraffinic    | 64742-54-7 | Asp. Tox. 1; H304                        | >=40.00 - < 50.00 |
| DISTILLATES (PETROLEUM),<br>HYDROTREATED HEAVY<br>PARAFFINIC | 64742-54-7 | Not a hazardous<br>substance or mixture. | >=1.50 - < 5.00   |



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

|                                                             |                                                                                                                                                                |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : No hazards which require special first aid measures.                                                                                                         |
| If inhaled                                                  | : If breathed in, move person into fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician. |
| In case of skin contact                                     | : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.                                 |
| In case of eye contact                                      | : Remove contact lenses.<br>Protect unharmed eye.                                                                                                              |
| If swallowed                                                | : Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.                 |
| Most important symptoms and effects, both acute and delayed | : No symptoms known or expected.                                                                                                                               |
| Notes to physician                                          | : No hazards which require special first aid measures.                                                                                                         |

### SECTION 5. FIREFIGHTING MEASURES

|                                      |                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media         | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Water spray<br>Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                                                                                                          |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses.<br>If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. |
| Hazardous combustion products        | : carbon dioxide and carbon monoxide                                                                                                                                                                                                                                                                                                                           |



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

- Specific extinguishing methods :  
Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.
- Materials to avoid : No materials to be especially mentioned.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                                                | CAS-No.    | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis    |
|-----------------------------------------------------------|------------|----------------------------------|---------------------------------------------------|----------|
| Distillates (Petroleum),<br>Hydrotreated Heavy Paraffinic | 64742-54-7 | TWA                              | 5 mg/m3<br>Mist                                   | OSHA Z-1 |
|                                                           |            | TWA                              | 5 mg/m3<br>Inhalable                              | ACGIH    |



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

|                                                              |            |     |                                            |           |
|--------------------------------------------------------------|------------|-----|--------------------------------------------|-----------|
|                                                              |            |     | particulate matter                         |           |
|                                                              |            | TWA | 5 mg/m3<br>Mist                            | OSHA P0   |
|                                                              |            | TWA | 5 mg/m3<br>Mist                            | NIOSH REL |
|                                                              |            | ST  | 10 mg/m3<br>Mist                           | NIOSH REL |
|                                                              |            | PEL | 5 mg/m3<br>particulate                     | CAL PEL   |
| DISTILLATES (PETROLEUM),<br>HYDROTREATED HEAVY<br>PARAFFINIC | 64742-54-7 | TWA | 5 mg/m3<br>Mist                            | OSHA Z-1  |
|                                                              |            | TWA | 5 mg/m3<br>Inhalable<br>particulate matter | ACGIH     |
|                                                              |            | TWA | 5 mg/m3<br>Mist                            | OSHA P0   |
|                                                              |            | TWA | 5 mg/m3<br>Mist                            | NIOSH REL |
|                                                              |            | ST  | 10 mg/m3<br>Mist                           | NIOSH REL |
|                                                              |            | PEL | 5 mg/m3<br>particulate                     | CAL PEL   |

**Engineering measures** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:  
Safety shoes  
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : General industrial hygiene practice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

---

|                                                  |                                            |
|--------------------------------------------------|--------------------------------------------|
| Appearance                                       | : liquid                                   |
| Odour                                            | : No data available                        |
| Odour Threshold                                  | : No data available                        |
| pH                                               | : No data available                        |
| Melting point/freezing point                     | : No data available                        |
| Boiling point/boiling range                      | : No data available                        |
| Flash point                                      | : > 390 °F / > 199 °C                      |
|                                                  | Method: Cleveland open cup                 |
| Evaporation rate                                 | : No data available                        |
| Flammability (solid, gas)                        | : No data available                        |
| Self-ignition                                    | : No data available                        |
| Upper explosion limit / Upper flammability limit | : No data available                        |
| Lower explosion limit / Lower flammability limit | : No data available                        |
| Vapour pressure                                  | : No data available                        |
| Relative vapour density                          | : No data available                        |
| Relative density                                 | : No data available                        |
| Density                                          | : 0.849 g/cm <sup>3</sup>                  |
| Solubility(ies)                                  |                                            |
| Water solubility                                 | : No data available                        |
| Solubility in other solvents                     | : No data available                        |
| Partition coefficient: n-octanol/water           | : No data available                        |
| Decomposition temperature                        | : No data available                        |
| Viscosity                                        |                                            |
| Viscosity, dynamic                               | : No data available                        |
| Viscosity, kinematic                             | : 50.4 mm <sup>2</sup> /s (104 °F / 40 °C) |



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : None known.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Eye Contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Distillates (Petroleum), Hydrotreated Heavy Paraffinic:**

Acute oral toxicity : LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

##### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Acute oral toxicity : LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Result : Slight, transient irritation

Remarks : Expected based on components.

#### Components:

##### **Distillates (Petroleum), Hydrotreated Heavy Paraffinic:**



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

Assessment : Slight, transient irritation  
Result : Slight, transient irritation

### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Assessment : Slight, transient irritation  
Result : Slight, transient irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Product:**

Result : Slight, transient irritation  
Remarks : Expected based on components.

Remarks : Unlikely to cause eye irritation or injury.

#### **Components:**

### **Distillates (Petroleum), Hydrotreated Heavy Paraffinic:**

Result : No eye irritation  
Assessment : No eye irritation

### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Result : No eye irritation  
Assessment : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Germ cell mutagenicity**

Not classified based on available information.

#### **Carcinogenicity**

Not classified based on available information.

#### **Components:**

### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation  
Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

#### **Distillates (Petroleum), Hydrotreated Heavy Paraffinic:**

May be fatal if swallowed and enters airways.

#### **DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

No aspiration toxicity classification

### **Further information**

#### **Product:**

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Product:**

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.

### **Components:**

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Toxicity to fish : LL50 (Fish): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Aquatic invertebrates): > 10,000 mg/l  
Exposure time: 48 h

Toxicity to algae : EL50 (Algae, algal mat (Algae)): > 100 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 10 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Aquatic invertebrates): 10 mg/l

Ecotoxicology Assessment  
Short-term (acute) aquatic : Not classified based on available information.



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

hazard

Long-term (chronic) aquatic hazard : Not classified based on available information.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Toxicity to fish : LL50 (Fish): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Aquatic invertebrates): > 10,000 mg/l  
Exposure time: 48 h

Toxicity to algae : EL50 (Algae, algal mat (Algae)): > 100 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 10 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Aquatic invertebrates): 10 mg/l

Ecotoxicology Assessment  
Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.

### Persistence and degradability

#### Components:

No data available

### Bioaccumulative potential

#### Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Partition coefficient: n-octanol/water : log Pow: Expected > 7

No data available

### Mobility in soil

#### Components:

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological information : No data available

#### Components:



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

Not regulated as a dangerous good

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

---

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

##### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**The components of this product are reported in the following inventories:**

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

**TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

---

## SECTION 16. OTHER INFORMATION

**Further information**

Internal information : 000000249919

|              |                  |
|--------------|------------------|
| <b>NFPA:</b> | <b>HMIS III:</b> |
|--------------|------------------|



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

|                                                                            |                                                                                                                                                                                                                                                                                           |               |          |                     |          |                        |          |
|----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|---------------------|----------|------------------------|----------|
| <p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard</p> | <table border="1"><tr><td><b>HEALTH</b></td><td><b>0</b></td></tr><tr><td><b>FLAMMABILITY</b></td><td><b>1</b></td></tr><tr><td><b>PHYSICAL HAZARD</b></td><td><b>0</b></td></tr></table> <p>0 = not significant, 1 = Slight,<br/>2 = Moderate, 3 = High<br/>4 = Extreme, * = Chronic</p> | <b>HEALTH</b> | <b>0</b> | <b>FLAMMABILITY</b> | <b>1</b> | <b>PHYSICAL HAZARD</b> | <b>0</b> |
| <b>HEALTH</b>                                                              | <b>0</b>                                                                                                                                                                                                                                                                                  |               |          |                     |          |                        |          |
| <b>FLAMMABILITY</b>                                                        | <b>1</b>                                                                                                                                                                                                                                                                                  |               |          |                     |          |                        |          |
| <b>PHYSICAL HAZARD</b>                                                     | <b>0</b>                                                                                                                                                                                                                                                                                  |               |          |                     |          |                        |          |

### NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

### Full text of H-Statements

H304 May be fatal if swallowed and enters airways.

### Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization



## SAFETY DATA SHEET

Valvoline™ Full Synthetic High Mileage with  
Maxlife Technology SAE 5W-20 Motor Oil

Version: 1.5

Revision Date: 02/14/2020

Print Date:  
09/11/2020

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System