

SAFETY DATA SHEET Prestone ALL SEASON Screenwash

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME Prestone ALL SEASON Screenwash

PRODUCT NO. AS259D

SUPPLIER Holt Lloyd International Ltd

Barton Dock Road

Stretford Manchester

M32 0YQ - England, UK +44 (0) 161 866 4800 FAX +44 (0) 161 866 4854 A Holts Car Care Product www.holtsauto.com

2 HAZARDS IDENTIFICATION

Flammable. Harmful by inhalation, in contact with skin and if swallowed. Harmful: possible risk of irreversible effects through inhalation, in

contact with skin and if swallowed.

CLASSIFICATION (1999/45) Xn;R20/21/22, R68/20/21/22. R10.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content %	Classification (67/548/EEC)	
METHANOL	200-659-6	67-56-1	5-10%	F;R11 T;R23/24/25,R39/23/24/25	
ETHANEDIOL	203-473-3	107-21-1	5-10%	Xn;R22	

The Full Text for all R-Phrases is Displayed in Section 16

The Full Text for all R-Phrases is Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention. Provide rest, warmth and fresh air. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.

INGESTION

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Remove victim immediately from source of exposure. Get medical attention immediately! Provide rest, warmth and fresh air.

SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

EYE CONTACT

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

Prestone ALL SEASON Screenwash

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Fire can be extinguished using: Carbon dioxide (CO2). Dry chemicals, sand, dolomite etc. DO NOT try to put out large fires.

SPECIFIC HAZARDS

Fire creates: Carbon dioxide (CO2). Carbon monoxide (CO). Carbonyl compounds. Oxides of: Sulphur.

PROTECTIVE MEASURES IN FIRE

Firefighters should wear full protective gear including SCBA sets with full face shields.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
ETHANEDIOL	WEL		10 mg/m3(Sk)		104	
					mg/m3(Sk)	
METHANOL	WEL	200	266	250	333	
		ppm(Sk)	mg/m3(Sk)	ppm(Sk)	mg/m3(Sk)	

WEL = Workplace Exposure Limit.

PROTECTIVE EQUIPMENT





ENGINEERING MEASURES

Provide adequate general and local exhaust ventilation.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

HAND PROTECTION

Protective gloves should be used if there is a risk of direct contact or splash. EN374 Rubber gloves are recommended.

EYE PROTECTION

Wear approved safety goggles.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

REVISION DATE 08/02/2011

Prestone ALL SEASON Screenwash

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Coloured liquid.

COLOUR Yellow.

ODOUR Odour of alcohol.

RELATIVE DENSITY ~0.989 pH-VALUE, CONC. SOLUTION 7.0-10.5 FLASH POINT (°C) 57C

FLAMMABILITY LIMIT - LOWER(%) 6.0% v/v METHANOL IN AIR FLAMMABILITY LIMIT - UPPER(%) 36.5% v/v METHANOL IN AIR

VOLATILE ORGANIC COMPOUND 9.0 g/litre

(VOC)

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid contact with acids and oxidising substances.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

11 TOXICOLOGICAL INFORMATION

INHALATION

Harmful by inhalation. May cause irritation to the respiratory system.

INGESTION

Harmful if swallowed.

SKIN CONTACT

Harmful in contact with skin. Irritating to skin.

EYE CONTACT

Irritating to eyes.

TARGET ORGANS

Skin Eyes Respiratory system, lungs

12 ECOLOGICAL INFORMATION

ECOTOXICITY

No data on possible environmental effects have been found.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Do not allow runoff to sewer, waterway or ground.

WASTE CLASS

WGK: 1 (Germany)

Prestone ALL SEASON Screenwash

14 TRANSPORT INFORMATION

GENERAL LIMITED QUANTITIES



PROPER SHIPPING NAME ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (METHANOL)

No.

ENVIRONMENTALLY

HAZARDOUS

SUBSTANCE/MARINE

POLLUTANT

UN NO. ROAD 1986 ADR CLASS NO. 3

ADR CLASS Class 3: Flammable liquids.

ADR PACK GROUP III
TUNNEL RESTRICTION CODE (D/E)
ADR LABEL NO. 3 & 6.1
UN NO. SEA 1986
IMDG CLASS 3
IMDG PACK GR. III

 EMS
 F-E, S-D

 UN NO. AIR
 1986

 AIR CLASS
 3

 AIR SUB CLASS
 6.1

 AIR PACK GR.
 III

15 REGULATORY INFORMATION

LABELLING



Harmful

CONTAINS METHANOL

RISK PHRASES

R10 Flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R68/20/21/22 Harmful: possible risk of irreversible effects through inhalation, in contact

with skin and if swallowed.

SAFETY PHRASES

S2 Keep out of the reach of children.

S13 Keep away from food, drink and animal feeding stuffs.

S36/37 Wear suitable protective clothing and gloves.

Prestone ALL SEASON Screenwash

S46 If swallowed, seek medical advice immediately and show this container or

label.

S51 Use only in well-ventilated areas.

S56 Dispose of this material and its container to hazardous or special waste

collection point.

EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

16 OTHER INFORMATION

REVISION DATE 08/02/2011

REV. NO./REPL. SDS GENERATED 4

SDS NO. 14168

DATE 15/07/2010

RISK PHRASES IN FULL

R10 Flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed.

R68/20/21/22 Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

R11 Highly flammable

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.